

- Chinese Standard-Light Steel Rail



Light Steel Rail							
(Standard:GB11264-89)							
Size	Dimension(mm)				Weight (kg/m)	Material	Length (m)
	Head (mm)	Height (mm)	Bottom (mm)	Web (mm)			
GB6KG	25.4	50.8	50.8	4.76	5.98	Q235B	6-12
GB9KG	32.1	63.5	63.5	5.9	8.94	Q235B	6-12
GB12KG	38.1	69.85	69.85	7.54	12.2	Q235B/55Q	6-12
GB15KG	42.86	79.37	79.37	8.33	15.2	Q235B/55Q	6-12
GB22KG	50.3	93.66	93.66	10.72	23.3	Q235B/55Q	6-12
GB30KG	60.33	107.95	107.95	12.3	30.1	Q235B/55Q	6-12

Light Steel Rail (Standard: YB222-63)							
Size	Dimension(mm)				Weight (kg/m)	Material	Length (m)
	Head (mm)	Height (mm)	Bottom (mm)	Web (mm)			
8KG	25	65	54	7	8.42	Q235B	6-12
18KG	40	90	80	10	18.06	Q235B/55Q	6-12
24KG	51	107	92	10.9	24.46	Q235B/55Q	6-12

- Chinese Standard-Heavy Steel Rail



Heavy Steel Rail (Standard: GB2585-2007)							
Size	Dimension(mm)				Weight (kg/m)	Material	Length (m)
	Head (mm)	Height (mm)	Bottom (mm)	Web (mm)			
P38KG	68	134	114	13	38.733	U71Mn	12.5-25
P43KG	70	140	114	14.5	44.653	U71Mn	12.5-25

P50KG	70	152	132	15.5	51.514	U71Mn	12.5-25
P60KG	73	170	150	16.5	61.64	U71Mn	12.5-25

● Chinese Standard-Crane Steel Rail



Crane Steel Rail (Standard: YB/T5055-93)							
Size	Dimension(mm)				Weight (kg/m)	Material	Length (m)
	Head (mm)	Height (mm)	Bottom (mm)	Web (mm)			
QU 70	70	120	120	28	52.8	U71Mn	12
QU 80	80	130	130	32	63.69	U71Mn	12
QU 100	100	150	150	38	88.96	U71Mn	12
QU 120	120	170	170	44	118.1	U71Mn	12